Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1177	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L2	5	mask adj code same (pseudo adj random)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L3	154	(mask$3 near2 code) same ((pseudo adj random) random pseudo RN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L4	1	(mask$3 near2 code) with (numerical) with position same ((pseudo adj random) random pseudo RN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L5	1	(mask$3 near2 code) with (numerical) with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L6	1	(mask$3 near2 code) with (numeric$2) with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L7	192	(mask$3 near2 code) with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L8	0	(mask$3 near2 code) with sequential with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L9	14	(mask$3 near2 code) with sequen$6 with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L10	644	mask$3 with numer$5 with position$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:28

L11	3	mask$3 with numer$5 with position$3 with random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L12	6	mask$3 with numer$5 with position$3 same random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L13	51	380/249.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L14	6	380/249.ccls. and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:26
L15	1915	numer$5 with position$3 with code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:29
L16	597	numer$5 with position$3 with code and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:29
L18	91	numer$5 near3 position$3 with code and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:30
L19	69	18 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:30
S1	1001	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:15
S2	5	mask adj code same (pseudo adj random)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:16

S3	139	(mask$3 near2 code) same ((pseudo adj random) random pseudo RN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:19
S4	1	(mask$3 near2 code) with (numerical) with position same ((pseudo adj random) random pseudo RN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:19
S5	1	(mask$3 near2 code) with (numerical) with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:20
S6	1	(mask$3 near2 code) with (numeric$2) with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:20
S7	188	(mask$3 near2 code) with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:20
S8	0	(mask$3 near2 code) with sequential with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:20
S9	14	(mask$3 near2 code) with sequen$6 with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:24
S10	622	mask$3 with numer$5 with position$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:25
S11	3	mask$3 with numer$5 with position$3 with random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:26
S12	6	mask$3 with numer$5 with position$3 same random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/24 14:26

| S13 | 49 | 380/249.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/24 14:27 |
| S14 | 5 | 380/249.ccls. and mask | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/24 14:28 |